



STATE OF FLORIDA
COUNTY OF POLK

On this 16th day of June, 2021, I attest and certify that the attached twelve (12) page document is a true, exact, complete, and unaltered photocopy made by me, the custodian of the public record, of the corrected Ordinance 1456-21 for the Eden Hills Community Development District boundary amendment.


Linda Bourgeois

Signature of Records Custodian / Notary Public

Linda Bourgeois

Print, Type or Stamp Name of Custodian / Notary Public

SEAL:



Public Hearing date in 4th
Recital was amended.

Original Recording:
INSTR# 2021149749 BK
11752 Pgs 1231-1242
PG(s)12
06/10/2021 07:23:59 AM

ORDINANCE NO. 1456-21

AN ORDINANCE OF THE CITY OF LAKE ALFRED, FLORIDA; AMENDING ORDINANCE NUMBER 1422-19, WHICH ESTABLISHED THE EDEN HILLS COMMUNITY DEVELOPMENT DISTRICT; PROVIDING FOR AMENDMENT TO SECTION 4 OF THE ORDINANCE TO CHANGE THE GEOGRAPHICAL BOUNDARIES OF THE DISTRICT PURSUANT TO SECTION 190.046, FLORIDA STATUTES, BY ADDING 25.74+/- ACRES THERETO; PROVIDING FOR AMENDMENT TO ORDINANCE NUMBER 1422-19, TO AMEND EXHIBIT "A" OF SAID ORDINANCE TO PROVIDE FOR A NEW METES AND BOUNDS LEGAL DESCRIPTION OF THE DISTRICT; PROVIDING FOR ALL OTHER TERMS AND CONDITIONS TO REMAIN UNCHANGED; PROVIDING FOR SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, on October 21, 2019, the City Commission of the City of Lake Alfred, Florida (the "City Commission") pursuant to Section 190.005, *Florida Statutes*, adopted Ordinance No. 1422-19, which established the Eden Hills Community Development District ("District"); and

WHEREAS, the City has received from the Board of Supervisors of the District, a "Petition to Expand the Boundary of the Eden Hills Community Development District," dated March 4, 2021, as amended and supplemented on April 26, 2021 (the "Petition"), which Petition is in compliance with the provisions of Section 190.046, Florida Statutes; and

WHEREAS, this amendment shall add 25.74+/- acres to the established Eden Hills Community Development District; and

WHEREAS, all interested persons and affected units of general-purpose local government were afforded an opportunity to present oral and written comments on the petition at a duly noticed public hearing conducted by the City Commission on June 7, 2021; and

WHEREAS, upon consideration of the record established at that hearing, the City Commission determined that the statements within the Petition are true and correct, that the expansion of the District is not inconsistent with any applicable element or portion of the State of Florida comprehensive plan or the City's comprehensive plan, that the land to be added to the District is of sufficient size, is sufficiently compact, and is sufficiently contiguous to be developable as a functionally interrelated community, that the District, as amended, is the best alternative available for delivering community development services and facilities to the area that will be served by the District, that the community development services and facilities of the District, as amended, will not be incompatible with the capacity and uses of existing local and regional community development services and facilities, and that the area that will be served by the District is amenable to separate special-district governance; and

WHEREAS, the lands to be located within the District will be subject to all terms and conditions of the City of Lake Alfred Unified Land Development Code, City of Lake Alfred Code of Ordinances, and any development order or agreement adopted by the City regarding the development of the lands described herein; and

WHEREAS, the expansion of the District shall not act to amend any land development approvals governing the land area to be included within the District; and

WHEREAS, all laws, rules, ordinances and regulations applicable on the effective date of this Ordinance shall be enforceable against the property located within the Green Swamp Area of Critical State Concern and the District and will continue to apply after expansion of the District; and

WHEREAS, the expansion of the District will constitute a timely, efficient, effective, responsive and economic way to deliver community development services in the area described in the petition; and

NOW, THEREFORE BE IT ORDAINED by the City Commission of the City of Lake Alfred, Florida, as follows:

Section 1. Authority. This ordinance is adopted in compliance with and pursuant to the Uniform Community Development District Act of 1980 which is codified in Chapter 190, *Florida Statutes*.

Section 2. District External Boundaries. Section 4 of Ordinance No. 1422-19 is hereby amended as described and set forth in Exhibit "A" of this ordinance, which is attached hereto and incorporated herein by reference. Further, on the effective date of this Ordinance, the District boundaries shall be amended and enlarged to encompass approximately 396.65 acres, more or less.

Section 3. Legal Description of the District. Exhibit "A" of Ordinance No. 1422-19 is hereby replaced in its entirety with Exhibit "A", which is attached hereto and incorporated herein by reference, and which accurately depicts the external boundaries of the District.


Section 4. All Other Conditions Remain Unchanged. All other terms and conditions of Ordinance No. 1422-19 shall remain unchanged and enforceable in accordance with the terms expressed herein.

Section 5. Severability. If any provision of this ordinance, or the application thereof, is finally determined by a court of competent jurisdiction to be invalid, illegal or unenforceable, such provision shall be deemed to be severable and the remaining provisions shall continue in full force and effect provided that the invalid, illegal or unenforceable provision is not material to the logical and intended interpretation of this ordinance.

Section 6. Effective Date. This ordinance shall become effective as prescribed by Florida general law.

PASSED AND DULY ADOPTED by the City Commission of the City of Lake Alfred, Florida, this 7th day of June 2021.

CITY OF LAKE ALFRED CITY COMMISSION


Nancy Z. Daley Mayor

ATTEST:

Linda Bourgeois
Linda Bourgeois, BAS, MMC
City Clerk

APPROVED AS TO FORM:

Frederick J. Murphy, Jr.
Frederick J. Murphy, Jr., City Attorney



Exhibit A
[District's External Boundaries]
EDEN HILLS CDD

LEGAL DESCRIPTION AS AMENDED

PARCEL 1

THE S-1/2 OF SE-1/4 AND E-1/2 OF SW-1/4 OF SECTION 19, TOWNSHIP 27 SOUTH, RANGE 26 EAST, POLK COUNTY, FLORIDA, LESS ROAD RIGHT OF WAY OF CASS ROAD.

PARCEL 2

THE S ½ OF THE SW ¼ OF SECTION 20, TOWNSHIP 27 SOUTH, RANGE 26 EAST, LESS AND EXCEPT ALL ROADWAYS AND EASEMENTS OF RECORD OR IN USE, LYING AND BEING IN POLK COUNTY, FLORIDA.

PARCEL 3

COMMENCING AT THE SECTION POST AT THE NORTHEAST CORNER OF THE NE ¼ OF SECTION 30, TOWNSHIP 27 SOUTH, RANGE 26 EAST, RUNNING THENCE IN A WESTERLY DIRECTION ALONG THE NORTH LINE OF SAID SECTION 2290 FEET; THENCE SOUTH 685 FEET; THENCE IN AN EASTERLY DIRECTION PARALLEL TO THE NORTH LINE OF SAID SECTION TO THE EAST LINE OF SAID SECTION AND THENCE IN A NORTHERLY DIRECTION TO THE PLACE OF BEGINNING, LESS ROAD RIGHT OF WAY OF CASS ROAD.

PARCEL 4

THE SOUTH 945 FEET OF THE NW ¼ AND THE N ½ OF THE SW ¼ OF SECTION 20, TOWNSHIP 27 SOUTH, RANGE 26 EAST, LESS AND EXCEPT A PARCEL OF LAND DESCRIBED AS FOLLOWS: BEGINNING AT A POINT 341 FEET NORTH OF THE SOUTHEAST CORNER OF THE N ½ OF THE SW ¼, RUN THENCE NORTH ALONG THE HALF SECTION LINE A DISTANCE OF 1929 FEET TO THE NORTH BOUNDARY OF THE ABOVE DESCRIBED PROPERTY, RUN THENCE WEST A DISTANCE OF 562.3 FEET, RUN THENCE SOUTH 16°15' EAST A DISTANCE OF 2009.3 FEET TO THE **POINT OF BEGINNING**.

LESS & EXCEPT THE FOLLOWING DESCRIBED PARCELS:

THAT PORTION OF CASS ROAD MAINTAINED RIGHT-OF-WAY AS SHOWN IN MAP BOOK 14, PAGES 78 THROUGH 86, AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002, PUBLIC RECORDS OF POLK COUNTY, FLORIDA, IN SECTIONS 19, 20, AND 30 TOWNSHIP 27 SOUTH, RANGE 26 EAST, POLK COUNTY, FLORIDA.

AND LESS & EXCEPT

THAT PORTION OF OLD LAKE ALFRED ROAD AS RECORDED IN MAP BOOK 2, PAGES 323 THROUGH 327, AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002, PUBLIC RECORDS OF POLK COUNTY, FLORIDA, IN SECTION 20, TOWNSHIP 27 SOUTH, RANGE 26 EAST, POLK COUNTY, FLORIDA.

AND LESS & EXCEPT

RIGHT-OF-WAY PARCELS FOR COUNTY ROAD 557 AS SHOWN ON STATE OF FLORIDA STATE ROAD DEPARTMENT RIGHT-OF-WAY MAP SECTION 1629 PROJECT 5537, AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002, PUBLIC RECORDS OF POLK COUNTY, FLORIDA.

THOSE PARTS MORE PARTICULARLY DESCRIBED AS:

PARCEL 1

BEGIN AT A 5/8" IRON ROD AND CAP "LB 5450" STANDING AT THE NORTHWEST CORNER OF THE EAST ½ OF THE SOUTHWEST ¼ OF ABOVE SAID SECTION 19, AND RUN THENCE ALONG THE NORTH LINE OF THE EAST ½ OF THE SOUTHWEST ¼ OF SAID SECTION 19 N-89°59'47"-E, 1321.68 FEET TO THE NORTHEAST CORNER OF THE EAST ½ OF THE SOUTHWEST ¼ OF SAID SECTION 19; THENCE ALONG THE EAST LINE OF THE EAST ½ OF THE SOUTHWEST ¼ OF SAID SECTION 19 S-00°08'25"-E, 1323.96 FEET TO A POINT ON THE NORTH LINE OF THE SOUTH ½ OF THE SOUTHEAST ¼ OF SAID SECTION 19; THENCE ALONG THE NORTH LINE OF THE SOUTH ½ OF THE SOUTHEAST ¼ OF SAID SECTION 19 S-89°58'20"-E, 2637.88 FEET TO A 5/8" IRON ROD AND CAP "LB 5450" STANDING ON THE WESTERLY MAINTAINED RIGHT-OF-WAY LINE OF CASS ROAD ACCORDING TO MAP BOOK 14, PAGES 78 THROUGH 86 (INCLUSIVE), AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA; THENCE ALONG SAID WESTERLY MAINTAINED RIGHT-OF-WAY LINE THE FOLLOWING TWELVE (12) COURSES: 1) S-02°15'09"-W, 13.10 FEET TO A 5/8" IRON ROD AND CAP LB "8126"; THENCE 2) N-89°57'27"-W, 12.08 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 3) S-00°01'04"-E, 81.82 FEET; THENCE 4) N-87°37'47"-W, 0.97 FEET; THENCE 5) S-00°02'58"-W, 83.99 FEET; THENCE 6) S-00°14'03"-E, 282.24 FEET; THENCE 7) S-00°01'04"-E, 418.62 FEET; THENCE 8) S-00°34'59"-W, 258.08 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 9) S-05°24'19"-W, 43.23 FEET TO A POINT OF CURVE CONCAVE NORTHWESTERLY; THENCE 10) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 246.83 FEET, A CENTRAL ANGLE/Delta OF 14°54'25", A CHORD BEARING OF S-18°09'26"-W, A CHORD DISTANCE OF 64.04 FEET, FOR AN ARC LENGTH OF 64.22 FEET TO A POINT OF COMPOUND CURVE CONCAVE NORTHWESTERLY; THENCE 11) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 213.59 FEET, A CENTRAL ANGLE/Delta OF 16°06'05", A CHORD BEARING OF S-43°12'17"-W, A CHORD DISTANCE OF 59.83 FEET, FOR AN ARC LENGTH OF 60.02 FEET TO A POINT OF COMPOUND CURVE CONCAVE NORTHWESTERLY; THENCE 12) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 150.45 FEET, A CENTRAL ANGLE/Delta OF 07°22'46", A CHORD BEARING OF S-61°45'46"-W, A CHORD DISTANCE OF 19.36 FEET, FOR AN ARC LENGTH OF 19.38 FEET TO A 5/8" IRON ROD AND CAP STANDING ON THE NORTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID CASS ROAD; THENCE ALONG SAID NORTHERLY MAINTAINED RIGHT-OF-WAY LINE THE FOLLOWING FORTY (40) COURSES: 1) S-88°38'37"-W, 153.54 FEET; THENCE 2) S-89°10'37"-W, 216.44 FEET; THENCE 3) S-89°17'23"-W, 188.18 FEET; THENCE 4) N-89°38'32"-W, 298.21 FEET; THENCE 5) N-89°53'42"-W, 234.77 FEET; THENCE 6) N-89°37'59"-W, 217.84 FEET; THENCE 7) S-89°30'50"-W, 250.08 FEET; THENCE 8) N-89°55'08"-W, 231.89 FEET; THENCE 9) N-89°49'48"-W, 270.34 FEET; THENCE 10) N-88°49'36"-W, 59.54 FEET; THENCE 11) N-80°07'52"-W, 37.96 FEET; THENCE 12) N-85°14'01"-W, 17.09 FEET; THENCE 13) N-70°59'02"-W, 18.15 FEET; THENCE 14) N-65°55'57"-W, 21.10 FEET; THENCE 15) N-

67°05'59"-W, 98.72 FEET TO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE 16) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 523.28 FEET, A CENTRAL ANGLE/DELTA OF 13°50'09", A CHORD BEARING OF N-67°01'16"-W, A CHORD DISTANCE OF 126.06 FEET, FOR AN ARC LENGTH OF 126.36 FEET; THENCE 17) N-68°58'37"-W, 34.06 FEET; THENCE 18) S-89°31'05"-W, 19.75 FEET TO A POINT OF CURVE CONCAVE SOUTHERLY; THENCE 19) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 523.28 FEET, A CENTRAL ANGLE/DELTA OF 03°49'37", A CHORD BEARING OF N-81°39'02"-W, A CHORD DISTANCE OF 34.94 FEET, FOR AN ARC LENGTH OF 34.95 FEET; THENCE 20) S-89°14'01"-W, 66.62 FEET TO A POINT OF CURVE CONCAVE NORTHERLY; THENCE 21) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 260.64 FEET, A CENTRAL ANGLE/DELTA OF 26°43'30", A CHORD BEARING OF N-74°29'03"-W, A CHORD DISTANCE OF 120.47 FEET, FOR AN ARC LENGTH OF 121.57 FEET TO A POINT OF COMPOUND CURVE CONCAVE NORTHWESTERLY; THENCE 22) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 242.45 FEET, A CENTRAL ANGLE/DELTA OF 34°55'23", A CHORD BEARING OF N-40°04'24"-W, A CHORD DISTANCE OF 145.50 FEET, FOR AN ARC LENGTH OF 147.78 FEET; THENCE 23) N-27°57'49"-W, 90.06 FEET TO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE 24) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 259.87 FEET, A CENTRAL ANGLE/DELTA OF 47°51'20", A CHORD BEARING OF N-54°10'27"-W, A CHORD DISTANCE OF 210.80 FEET, FOR AN ARC LENGTH OF 217.05 FEET; THENCE 25) N-65°06'24"-W, 17.01 FEET; THENCE 26) S-89°09'06"-W, 24.96 FEET TO A POINT OF CURVE CONCAVE SOUTHERLY; THENCE 27) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 241.94 FEET, A CENTRAL ANGLE/DELTA OF 13°31'58", A CHORD BEARING OF S-89°09'06"-W, A CHORD DISTANCE OF 57.01 FEET, FOR AN ARC LENGTH OF 57.14 FEET; THENCE 28) S-89°09'06"-W, 20.44 FEET; THENCE 29) S-75°16'11"-W, 14.14 FEET; THENCE 30) S-59°52'40"-W, 13.79 FEET TO A POINT OF CURVE CONCAVE SOUTHEASTERLY; THENCE 31) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 241.94 FEET, A CENTRAL ANGLE/DELTA OF 05°46'25", A CHORD BEARING OF S-68°16'47"-W, A CHORD DISTANCE OF 24.37 FEET, FOR AN ARC LENGTH OF 24.38 FEET; THENCE 32) S-63°03'02"-W, 85.21 FEET; THENCE 33) S-64°14'52"-W, 92.99 FEET TO A POINT OF CURVE CONCAVE NORTHERLY; THENCE 34) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 257.71 FEET, A CENTRAL ANGLE/DELTA OF 26°37'29", A CHORD BEARING OF S-86°10'03"-W, A CHORD DISTANCE OF 118.68 FEET, FOR AN ARC LENGTH OF 119.75 FEET; THENCE 35) N-67°10'39"-W, 37.65 FEET; THENCE 36) N-66°54'31"-W, 65.68 FEET TO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE 37) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 475.61 FEET, A CENTRAL ANGLE/DELTA OF 12°03'04", A CHORD BEARING OF N-68°55'28"-W, A CHORD DISTANCE OF 99.85 FEET, FOR AN ARC LENGTH OF 100.04 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHWESTERLY; THENCE 38) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 415.63 FEET, A CENTRAL ANGLE/DELTA OF 14°11'59", A CHORD BEARING OF N-79°41'42"-W, A CHORD DISTANCE OF 102.74 FEET, FOR AN ARC LENGTH OF 103.01 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHERLY; THENCE 39) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 800.61 FEET, A CENTRAL ANGLE/DELTA OF 08°59'50", A CHORD BEARING OF S-86°58'55"-W, A CHORD DISTANCE OF 125.59 FEET, FOR AN ARC LENGTH OF 125.72 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHEASTERLY; THENCE 40) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 492.25 FEET, A CENTRAL ANGLE/DELTA OF 00°52'46", A CHORD BEARING OF S-78°33'19"-W, A CHORD DISTANCE OF 7.55 FEET, FOR AN ARC LENGTH OF 7.55 FEET TO A 5/8" IRON ROD AND CAP" LB 8126" STANDING ON THE WEST LINE OF THE EAST ½ OF THE SOUTHWEST ¼ OF SAID SECTION 19, SAID POINT IS HEREBY DESIGNATED POINT "A" TO BE USED HEREIN AFTER; THENCE

DEPARTING SAID NORTHERLY MAINTAINED RIGHT-OF-WAY, AND CONTINUING ALONG THE WEST LINE OF THE EAST ½ OF THE SOUTHWEST ¼ OF SAID SECTION 19, N-00°08'18"-W, 2166.25 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH

COMMENCE AT ABOVE DESIGNATED POINT "A", AND RUN THENCE ALONG THE WEST LINE OF THE EAST ½ OF THE SOUTHWEST ¼ OF SAID SECTION 19 S-00°08'18"-E, 61.47 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" AND THE POINT OF BEGINNING; THENCE CONTINUE ALONG THE WEST LINE OF THE EAST ½ OF THE SOUTHWEST ¼ OF SAID SECTION 19, AND CONTINUING S-00°08'18"-E, 418.74 FEET TO A POINT ON THE SOUTH LINE OF THE SOUTHWEST ¼ OF SAID SECTION 19; THENCE ALONG THE SOUTH LINE OF THE SOUTHWEST ¼ OF SAID SECTION 19 S-89°56'27"-E, 1602.13 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" STANDING ON THE SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE OF CASS ROAD ACCORDING TO MAP BOOK 14, PAGES 78 THROUGH 86 (INCLUSIVE), AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA; THENCE DEPARTING THE SOUTH LINE OF THE SOUTHWEST ¼ OF SAID SECTION 19, AND ALONG SAID SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE THE FOLLOWING TWENTY (20) COURSES: 1) N-67°05'59"-W, 78.19 FEET TO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE 2) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 463.28 FEET, A CENTRAL ANGLE/DELTA OF 23°26'52", A CHORD BEARING OF N-71°23'14"-W, A CHORD DISTANCE OF 188.27 FEET, FOR AN ARC LENGTH OF 189.59 FEET; THENCE 3) S-89°14'01"-W, 64.18 FEET TO A POINT OF CURVE CONCAVE NORTHERLY; THENCE 4) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 320.64 FEET, A CENTRAL ANGLE/DELTA OF 27°20'48", A CHORD BEARING OF N-74°27'38"-W, A CHORD DISTANCE OF 151.59 FEET, FOR AN ARC LENGTH OF 153.04 FEET TO A POINT OF COMPOUND CURVE CONCAVE NORTHEASTERLY; THENCE 5) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 302.45 FEET, A CENTRAL ANGLE/DELTA OF 34°43'11", A CHORD BEARING OF N-40°31'56"-W, A CHORD DISTANCE OF 180.48 FEET, FOR AN ARC LENGTH OF 183.27 FEET; THENCE 6) N-27°57'49"-W, 86.13 FEET TO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE 7) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 199.87 FEET, A CENTRAL ANGLE/DELTA OF 51°07'56", A CHORD BEARING OF N-56°07'58"-W, A CHORD DISTANCE OF 172.51 FEET, FOR AN ARC LENGTH OF 178.37 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHERLY; THENCE 8) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 181.94 FEET, A CENTRAL ANGLE/DELTA OF 37°08'54", A CHORD BEARING OF S-84°19'33"-W, A CHORD DISTANCE OF 115.91 FEET, FOR AN ARC LENGTH OF 117.96 FEET; THENCE 9) S-63°03'02"-W, 84.53 FEET; THENCE 10) S-64°14'52"-W, 97.90 FEET; THENCE 11) S-72°58'21"-W, 10.80 FEET; THENCE 12) S-58°07'54"-W, 3.99 FEET; THENCE 13) S-86°02'26"-W, 5.89 FEET TO A POINT OF CURVE CONCAVE NORTHERLY; THENCE 14) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 317.71 FEET, A CENTRAL ANGLE/DELTA OF 25°07'59", A CHORD BEARING OF S-88°14'39"-W, A CHORD DISTANCE OF 138.25 FEET, FOR AN ARC LENGTH OF 139.37 FEET; THENCE 15) N-67°10'39"-W, 44.44 FEET; THENCE 16) N-66°54'31"-W, 67.99 FEET TO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE 17) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 415.61 FEET, A CENTRAL ANGLE/DELTA OF 12°30'07", A CHORD BEARING OF N-68°52'12"-W, A CHORD DISTANCE OF 90.51 FEET, FOR AN ARC LENGTH OF 90.69 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHWESTERLY; THENCE 18) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 355.63 FEET, A CENTRAL ANGLE/DELTA OF 14°15'17", A CHORD BEARING

OF N-79°31'29"-W, A CHORD DISTANCE OF 88.25 FEET, FOR AN ARC DISTANCE OF 88.48 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHERLY; THENCE 19) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 740.61 FEET, A CENTRAL ANGLE/Delta OF 08°46'58", A CHORD BEARING OF S-87°01'04"-W, A CHORD DISTANCE OF 113.41 FEET, FOR AN ARC LENGTH OF 113.53 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHEASTERLY; THENCE 20) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 432.25 FEET, A CENTRAL ANGLE/Delta OF 02°17'57", A CHORD BEARING OF S-77°36'22"-W, A CHORD DISTANCE OF 17.34 FEET, FOR AN ARC LENGTH OF 17.35 FEET TO THE **POINT OF BEGINNING**.

PARCEL 2

BEGIN AT A 3/4" IRON PIPE WITH NO IDENTIFICATION STANDING AT THE SOUTHWEST CORNER OF THE SOUTHWEST 1/4 OF SAID SECTION 20, AND RUN THENCE ALONG THE WEST LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 20 N-00°08'40"-W, 47.41 FEET TO A POINT ON THE EASTERLY MAINTAINED RIGHT-OF-WAY LINE OF CASS ROAD ACCORDING TO THE MAP BOOK 14, PAGES 78 THROUGH 86 (INCLUSIVE), AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA; THENCE DEPARTING THE WEST LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 20, AND RUN THENCE ALONG THE EASTERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID CASS ROAD, THE FOLLOWING ELEVEN (11) COURSES: 1) NORTHEASTERLY ALONG A CURVE CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 273.59 FEET, A CENTRAL ANGLE/Delta OF 01°53'52", A CHORD BEARING OF N-34°39'47"-E, A CHORD DISTANCE OF 9.06 FEET, FOR AN ARC LENGTH OF 9.06 FEET TO A POINT OF COMPOUND CURVE CONCAVE NORTHWESTERLY; 2) NORTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 315.08 FEET, A CENTRAL ANGLE/Delta OF 15°39'31", A CHORD BEARING OF N-17°59'31"-E, A CHORD DISTANCE OF 85.84 FEET, FOR AN ARC LENGTH OF 86.11 FEET; THENCE 3) N-05°24'19"-E, 48.20 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 4) N-00°34'59"-E, 261.88 FEET; THENCE 5) N-00°05'56"-E, 200.20 FEET; THENCE 6) N-00°07'04"-W, 200.11 FEET; THENCE 7) N-00°14'03"-W, 300.00 FEET; THENCE 8) N-00°02'58"-E, 83.11 FEET; THENCE 9) S-89°58'04"-W, 0.42 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A POINT OF CURVE CONCAVE SOUTHEASTERLY; THENCE 10) NORTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 186.00 FEET, A CENTRAL ANGLE/Delta OF 04°15'37", A CHORD BEARING OF N-19°32'48"-E, A CHORD DISTANCE OF 13.83 FEET, FOR AN ARC LENGTH OF 13.83 FEET TO A POINT OF COMPOUND CURVE CONCAVE SOUTHEASTERLY; THENCE 11) NORTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 116.00 FEET, A CENTRAL ANGLE/Delta OF 49°02'54", A CHORD BEARING OF N-46°12'03"-E, A CHORD DISTANCE OF 96.30 FEET, FOR AN ARC LENGTH OF 99.30 FEET TO A POINT ON THE SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE OF OLD LAKE ALFRED ROAD ACCORDING TO MAP BOOK 2, PAGES 323 THROUGH 327 (INCLUSIVE), AND OFFICIAL RECORDS BOOK 7794 PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA; THENCE ALONG THE SOUTHERLY MAINTAINED RIGHT-OF-WAY OF SAID OLD LAKE ALFRED ROAD THE FOLLOWING TWENTY-SIX (26) COURSES: 1) N-82°42'13"-E, 27.59 FEET; THENCE 2) N-87°08'13"-E, 60.11 FEET; THENCE 3) N-89°59'43"-E, 67.10 FEET; THENCE 4) S-66°15'13"-E, 9.93 FEET; THENCE 5) S-88°48'06"-E, 100.02 FEET; THENCE 6) N-89°56'17"-E, 100.00 FEET; THENCE 7) S-89°36'13"-E, 100.00 FEET; THENCE 8) N-89°28'47"-E, 100.00 FEET; THENCE 9) N-87°28'33"-E, 100.10 FEET; THENCE 10) N-89°52'51"-E, 100.00 FEET; THENCE 11) N-89°28'47"-E, 100.00 FEET; THENCE 12) S-89°08'43"-E, 100.01 FEET; THENCE 13) S-

89°56'51"-E, 100.00 FEET; THENCE 14) N-89°32'13"-E, 100.00 FEET; THENCE 15) N-89°52'51"-E, 100.00 FEET; THENCE 16) S-89°56'51"-E, 100.00 FEET; THENCE 17) N-89°59'43"-E, 100.00 FEET; THENCE 18) S-89°39'39"-E, 100.00 FEET; THENCE 19) N-89°35'39"-E, 100.00 FEET; THENCE 20) S-89°53'24"-E, 100.00 FEET; THENCE 21) N-89°52'51"-E, 100.00 FEET; THENCE 22) N-89°49'58"-E, 100.00 FEET; THENCE 23) N-89°49'24"-E, 100.00 FEET; THENCE 24) S-89°43'06"-E, 100.00 FEET; THENCE 25) N-89°11'36"-E, 100.01 FEET; THENCE 26) S-89°19'21"-E, 38.37 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" STANDING ON THE WESTERLY RIGHT-OF-WAY LINE OF COUNTY ROAD NUMBER 557, AS SHOWN ON THE STATE OF FLORIDA STATE ROAD DEPARTMENT RIGHT-OF-WAY MAP SECTION 1629-PROJECT 5537, AND AS RECORDED IN OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA, SAID POINT IS ALSO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE ALONG THE WESTERLY RIGHT-OF-WAY LINE OF SAID COUNTY ROAD NUMBER 557 THE FOLLOWING TWO (2) COURSES: 1) SOUTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 1372.80 FEET, A CENTRAL ANGLE/Delta OF 28°32'52", A CHORD BEARING OF S-14°16'09"-E, A CHORD DISTANCE OF 676.95 FEET, FOR AN ARC LENGTH OF 684.00 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 2) S-00°00'16"-W, 662.88 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" STANDING ON THE SOUTH LINE OF THE SOUTHWEST ¼ OF SAID SECTION 20; THENCE DEPARTING THE WESTERLY RIGHT-OF-WAY LINE OF SAID COUNTY ROAD NUMBER 557, AND CONTINUE ALONG THE SOUTH LINE OF THE SOUTHWEST ¼ OF SAID SECTION 20 N-89°55'39"-W, 2580.00 FEET TO THE **POINT OF BEGINNING**.

PARCEL 3

BEGIN AT A ¼" IRON PIPE WITH NO IDENTIFICATION STANDING AT THE NORTHEAST CORNER OF THE NORTHEAST ¼ OF SAID SECTION 30, AND RUN THENCE ALONG THE EAST LINE OF SAID SECTION 30 S-00°08'40"-E, 685.00 FEET; TO A 5/8" IRON ROD AND CAP "LB 5450"; THENCE DEPARTING THE EAST LINE OF SAID SECTION 30, N-89°56'27"-W, 2290.00 FEET TO A 5/8" IRON ROD AND CAP "LB 5450"; THENCE N-00°08'32"-W, 656.90 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" STANDING ON THE SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE OF CASS ROAD ACCORDING TO THE MAP BOOK 14, PAGES 78 THROUGH 86 (INCLUSIVE), AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA; THENCE ALONG SAID SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE THE FOLLOWING FOURTEEN (14) COURSES: 1) S-85°14'01"-E, 18.29 FEET; THENCE 2) S-80°07'51"-E, 39.84 FEET; THENCE 3) S-88°49'36"-E, 64.63 FEET; THENCE 4) S-89°49'48"-E, 270.91 FEET; THENCE 5) S-89°55'08"-E, 232.23 FEET; THENCE 6) N-89°30'50"-E, 249.93 FEET; THENCE 7) S-89°37'59"-E, 217.53 FEET; THENCE 8) S-89°53'42"-E, 234.78 FEET; THENCE 9) S-89°38'32"-E, 297.15 FEET; THENCE 10) S-88°53'35"-E, 172.89 FEET; THENCE 11) S-89°59'22"-E, 232.57 FEET; THENCE 12) S-89°19'57"-E, 95.31 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A POINT OF CURVE CONCAVE NORTHERLY; THENCE 13) NORTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 210.45 FEET, A CENTRAL ANGLE/Delta OF 31°52'07", A CHORD BEARING OF N-73°00'48"-E, A CHORD DISTANCE OF 115.55 FEET, FOR AN ARC LENGTH OF 117.05 FEET TO A POINT OF COMPOUND CURVE CONCAVE NORTHWESTERLY; THENCE 14) NORTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 273.59 FEET, A CENTRAL ANGLE/Delta OF 02°55'33", A CHORD BEARING OF N-50°31'27"-E, A CHORD DISTANCE OF 13.97 FEET, FOR AN ARC LENGTH OF 13.97 FEET TO A POINT ON THE NORTH LINE OF SAID

SECTION 30; THENCE DEPARTING THE SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID CASS ROAD, AND ALONG THE NORTH LINE OF SAID SECTION 30; S-89°56'27"-E, 43.27 FEET TO THE **POINT OF BEGINNING**.

PARCEL 4

BEGIN AT A 1" IRON PIPE WITH NO IDENTIFICATION STANDING AT THE SOUTHWEST CORNER OF THE NORTHWEST ¼ OF SAID SECTION 20, AND RUN THENCE ALONG THE WEST LINE OF THE NORTHWEST ¼ OF SAID SECTION 20 N-00°08'40"-W, 945.00 FEET TO THE NORTH LINE OF THE SOUTH 945 FEET OF THE NORTHWEST ¼ OF SAID SECTION 20; THENCE ALONG THE NORTH LINE OF THE SOUTH 945 FEET OF THE NORTHWEST ¼ OF SAID SECTION 20 N-89°56'41"-E, 1988.39 FEET TO A POINT ON THE WESTERLY RIGHT-OF-WAY LINE OF COUNTY ROAD NUMBER 557 AS SHOWN ON THE STATE OF FLORIDA-STATE ROAD DEPARTMENT RIGHT-OF-WAY MAP SECTION 1629-PROJECT 5537, AND AS RECORDED IN OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA SAID POINT IS ALSO A POINT OF CURVE CONCAVE SOUTHWESTERLY; THENCE ALONG THE WESTERLY RIGHT-OF-WAY LINE OF SAID COUNTY ROAD NUMBER 557 THE FOLLOWING SIX (6) COURSES: 1) SOUTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 1830.57 FEET, A CENTRAL ANGLE/Delta OF 13°13'14", A CHORD BEARING OF S-08°09'36"-E, A CHORD DISTANCE OF 421.46 FEET, FOR AN ARC LENGTH OF 422.39 FEET TO A 5/8" IRON ROD AND CAP "LB 5450"; THENCE 2) N-88°27'01"-E, 20.00 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A POINT OF CURVE CONCAVE WESTERLY; THENCE 3) THENCE SOUTHERLY ALONG SAID CURVE HAVING A RADIUS OF 1850.57 FEET, A CENTRAL ANGLE/Delta OF 01°35'45", A CHORD BEARING OF S-00°45'06"-E, A CHORD DISTANCE OF 51.54 FEET, FOR AN ARC LENGTH OF 51.54 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 4) S-00°02'46"-W, 793.12 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A POINT OF CURVE CONCAVE EASTERLY; THENCE 5) SOUTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 1492.39 FEET, A CENTRAL ANGLE/Delta OF 29°30'00", A CHORD BEARING OF S-14°42'14"-E, A CHORD DISTANCE OF 759.93 FEET, FOR AN ARC LENGTH OF 768.39 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 6) S-29°27'14"-E, 56.87 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" STANDING ON THE NORTHERLY MAINTAINED RIGHT-OF-WAY LINE OF OLD LAKE ALFRED ROAD ACCORDING TO MAP BOOK 2, PAGES 323 THROUGH 327 (INCLUSIVE), AND OFFICIAL RECORDS BOOK 7794, PAGES 986 THROUGH 1002 (INCLUSIVE), PUBLIC RECORDS OF POLK COUNTY, FLORIDA, SAID POINT IS ALSO A POINT OF CURVE CONCAVE NORTHWESTERLY; THENCE DEPARTING THE WESTERLY RIGHT-OF-WAY LINE OF SAID COUNTY ROAD NUMBER 557, AND ALONG THE NORTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD THE FOLLOWING NINE (9) COURSES: 1) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 50.00 FEET, A CENTRAL ANGLE/Delta OF 36°52'12", A CHORD BEARING OF S-42°06'40"-W, A CHORD DISTANCE OF 31.62 FEET, FOR AN ARC LENGTH OF 32.18 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 2) S-60°32'46"-W, 20.14 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" HEREBY DESIGNATED POINT "B" TO BE USED HEREINAFTER, SAID POINT IS ALSO A POINT OF CURVE CONCAVE NORTHWESTERLY; THENCE 3) SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 947.00 FEET, A CENTRAL ANGLE/Delta OF 29°26'57", A CHORD BEARING OF S-75°16'15"-W, A CHORD DISTANCE OF 481.40 FEET, FOR AN ARC LENGTH OF 486.74 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 4) S-89°59'43"-W, 564.31 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 5) N-76°30'31"-W, 51.42 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 6) S-89°59'43"-W, 217.24 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A

POINT OF CURVE CONCAVE NORTHWESTERLY; THENCE 7) THENCE SOUTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 20.00 FEET, A CENTRAL ANGLE/Delta OF 66°25'19", A CHORD BEARING OF S-56°47'04"-W, A CHORD DISTANCE OF 21.91 FEET, FOR AN ARC LENGTH OF 23.19 FEET TO A 5/8" IRON ROD AND CAP "LB 8126"; THENCE 8) S-89°59'43"-W, 710.79 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A POINT OF CURVE CONCAVE NORTHERLY; THENCE 9) NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 175.00 FEET, A CENTRAL ANGLE/Delta OF 89°53'07", A CHORD BEARING OF N-45°03'43"-W, A CHORD DISTANCE OF 247.24 FEET, FOR AN ARC LENGTH OF 274.54 FEET TO A 5/8" IRON ROD AND CAP STANDING ON THE EASTERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD; THENCE ALONG THE EASTERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD THE FOLLOWING TWO (2) COURSES: 1) N-00°07'09"-W, 889.59 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A POINT OF CURVE CONCAVE WESTERLY; THENCE 2) THENCE NORTHWESTERLY ALONG SAID CURVE HAVING A RADIUS OF 250.00 FEET, A CENTRAL ANGLE/Delta OF 34°41'22", A CHORD BEARING OF N-17°27'50"-W, A CHORD DISTANCE OF 149.06 FEET, FOR AN ARC LENGTH OF 151.36 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" STANDING ON THE WEST LINE OF THE NORTH ½ OF THE SOUTHWEST ¼ OF SAID SECTION 20; THENCE DEPARTING THE EASTERLY MAINTAINED RIGHT-OF-WAY OF SAID OLD LAKE ALFRED ROAD, AND ALONG THE WEST LINE OF THE NORTH ½ OF THE SOUTHWEST ¼ N-00°08'40"-W, 48.43 FEET TO THE **POINT OF BEGINNING**.

TOGETHER WITH

COMMENCE AT ABOVE DESIGNATED **POINT "B"**, AND RUN THENCE S-29°26'54"-E, 80.00 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS THE **POINT OF BEGINNING**, SAID POINT IS ALSO A POINT ON THE SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD; THENCE ALONG THE SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD THE FOLLOWING TWO (2) COURSES: 1) N-60°32'46"-E, 20.15 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS ALSO A POINT OF CURVE CONCAVE SOUTHEASTERLY; THENCE 2) NORTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 50.00 FEET, A CENTRAL ANGLE/Delta OF 36°52'12", A CHORD BEARING OF N-78°58'52"-E, A CHORD DISTANCE OF 31.62 FEET, FOR AN ARC LENGTH OF 32.18 FEET TO A 5/8" IRON ROD AND CAP STANDING ON THE WESTERLY RIGHT OF WAY LINE OF SAID COUNTY ROAD NUMBER 557; THENCE ALONG THE WESTERLY RIGHT-OF-WAY LINE OF SAID COUNTY ROAD 557 S-29°27'14"-E, 141.33 FEET TO A 5/8" IRON ROD AND CAP "LB 8126" STANDING ON THE NORTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD; THENCE ALONG THE NORTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD THE FOLLOWING FIVE (5) COURSES: 1) S-85°30'10"-W, 23.94 FEET; THENCE 2) S-89°49'24"-W, 100.00 FEET; THENCE 3) N-89°46'32"-W, 100.00 FEET; THENCE 4) S-89°49'24"-W, 100.00 FEET; THENCE 5) N-89°39'39"-W, 78.54 FEET TO A 5/8" IRON ROD AND CAP "LB 8126", SAID POINT IS A POINT ON THE SOUTHERLY MAINTAINED RIGHT-OF-WAY LINE OF SAID OLD LAKE ALFRED ROAD, SAID POINT IS ALSO A POINT OF CURVE CONCAVE NORTHWESTERLY; THENCE NORTHEASTERLY ALONG SAID CURVE HAVING A RADIUS OF 1027.00 FEET, A CENTRAL ANGLE/Delta OF 17°02'44", A CHORD BEARING OF N-69°04'08"-E, A CHORD DISTANCE OF 304.41 FEET, FOR AN ARC LENGTH OF 305.53 FEET TO THE **POINT OF BEGINNING**.

AND

PARCEL 262729-000000-033010

COMMENCING AT THE SECTION POST AT THE NORTHWEST CORNER OF SECTION 29, TOWNSHIP 27 SOUTH, RANGE 26 EAST, RUNNING THENCE SOUTH 990 FEET; THENCE EAST 1650 FEET; THENCE NORTH TO THE NORTH LINE OF SAID SECTION AND THENCE WEST ALONG SECTION LINE TO THE PLACE OF BEGINNING, LESS AND EXCEPT THE FOLLOWING: COMMENCE AT THE NORTHWEST CORNER OF SECTION 29, TOWNSHIP 27 SOUTH, RANGE 26 EAST, POLK COUNTY, FLORIDA, RUN THENCE SOUTH 00°07'20" WEST ALONG THE WEST BOUNDARY OF SAID SECTION 29, 700.00 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE SOUTH 00°07'20" WEST ALONG SAID WEST BOUNDARY OF SAID SECTION 27, 290.00 FEET; THENCE SOUTH 89°46'50" EAST, 1650.00 FEET; THENCE NORTH 00°07'20" EAST, 337.45 FEET; THENCE SOUTH 88°34'20" WEST, 1650.60 FEET TO THE POINT OF BEGINNING.

AMENDED DISTRICT CONTAINS 396.65 ACRES MORE OR LESS.